


CARTRIDGE BRASS CHARACTERISTICS



Resize, with primer in. Tare scale, and fill with H₂O using a syringe or eye dropper. De-prime, weigh empty case.

Caliber: _____ Date: _____

1 Case Mfg: _____ Case MT weight: _____ gr. H₂O Vol: _____ gr.

"A" Headspace Length: _____ in. "B" Neck Wall: _____ in. "C" Neck Dia. _____ in

"F" Trim Length: _____ in. As fired: ☐ Resized: ☐ Neck Bushing Dia.: _____ in.

2 Case Mfg: _____ Case MT weight: _____ gr. H₂O Vol: _____ gr.

"A" Headspace Length: _____ in. "B" Neck Wall: _____ in. "C" Neck Dia. _____ in

"F" Trim Length: _____ in. As fired: ☐ Resized: ☐ Neck Bushing Dia.: _____ in.

3 Case Mfg: _____ Case MT weight: _____ gr. H₂O Vol: _____ gr.

"A" Headspace Length: _____ in. "B" Neck Wall: _____ in. "C" Neck Dia. _____ in

"F" Trim Length: _____ in. As fired: ☐ Resized: ☐ Neck Bushing Dia.: _____ in.

4 Case Mfg: _____ Case MT weight: _____ gr. H₂O Vol: _____ gr.

"A" Headspace Length: _____ in. "B" Neck Wall: _____ in. "C" Neck Dia. _____ in

"F" Trim Length: _____ in. As fired: ☐ Resized: ☐ Neck Bushing Dia.: _____ in.

5 Case Mfg: _____ Case MT weight: _____ gr. H₂O Vol: _____ gr.

"A" Headspace Length: _____ in. "B" Neck Wall: _____ in. "C" Neck Dia. _____ in

"F" Trim Length: _____ in. As fired: ☐ Resized: ☐ Neck Bushing Dia.: _____ in.

6 Case Mfg: _____ Case MT weight: _____ gr. H₂O Vol: _____ gr.

"A" Headspace Length: _____ in. "B" Neck Wall: _____ in. "C" Neck Dia. _____ in

"F" Trim Length: _____ in. As fired: ☐ Resized: ☐ Neck Bushing Dia.: _____ in.