



Compare Products

[Print This Page](#)

	<div></div> <div>Schmidt & Bender 3-12x50 PM II</div> <div>Ask for price</div>	<div></div> <div>Meopta MeoTac 3- 12x50</div> <div>\$1,999.00</div> <div>Add to Cart</div>
--	---	---

Short Description	<p>Schmidt & Bender 3-12x50 PM II/LP Tactical Rifle Scope</p> <ul style="list-style-type: none"> • PM II - Police Marksman II series • LP - illuminated reticle and Parallax adjustment • DT or ST - Double or Single Turn Turret for Elevation • ST - Single Turn Turret for Windage • Waterproof up to 25 meters 	Meopta MeoTac 3-12x50
Manufacturer	Schmidt & Bender	Meopta
Color	No	Black
Diopter adjustment	+2 / -3 dpt	-3.5 / +2.5 Dpt
Twilight Factor	8.5 - 24.5	12.2 - 24.5
Light transmittance	>90%	93 %
Built in Range finder	No	No
Working temperature range	-25° / +55° C	-
Fogproof	Yes	Yes
Water proof	Yes	Yes
Shock proof	Yes	Yes

Made in	Germany	Czech Republic
In production since		-
Variable magnification	Yes	Yes
Tube size/diameter	34 mm	34 mm
Type of mount rail	No	No
Parallax setting		Adjustable
Parallax adj.	Yes - side focus	Yes - side focus
Parallax adustment range	50m - inf.	25 m - Infinity
Fast focus eyepiece type	Yes	Yes
Reticle illumination	Yes	Yes
Usable at daytime	No	No
Illumination color	Red	Red
Reticle position	No	1. focal plane - FFP
Click Value	No	No
Filled with	Nitrogen	Nitrogen
Lens coatings	Fully Multicoated	Fully Multicoated
Special features	1. focal plane, Fast focus, Fogproof, Fully multicoated, Illuminated reticle, Parallax adjustment, Shockproof, Tactical Turrets, Variable, Waterproof	1. focal plane, Fast focus, Fogproof, Fully multicoated, Illuminated reticle
Objective size diameter	57 mm	58 mm
Reticle	No	No
Warranty	2 years	30 years
Type of Turret	Tactical - Lockable	Tactical
Number of Turret Turns	ST - Single Turn	MT - Multi Turn
Automatic Turn Off	Yes	No
Direction of turret rotation	No	CCW
Lens size diameter.	50.0000	50.0000
Maximal field of view.	11.1000	12.2000

Min. magnification.	3.0000	3.0000
Weight.	961.2186	1084.1651
Max. magnification.	12.0000	13.3540
Minimal eye relief.	90.0000	90.0000
Size of Dot.	No	No
Length.	342.0000	358.6673
Mount length.	140.4377	165.7591
Minimal exit pupil.	4.3000	4.2000
Minimal field of view.	4.3000	3.1000
Elevation - mrad.	30.1245	29.0700
Mounting rail.	No	No
Locking turrets	No	No
Zero-Stop	Yes	Yes
Scope Rail Standard	No	No
	Ask for price	<div>\$1,999.00</div> <div>Add to Cart</div>

Close Window