

7.62x54R RUSSIAN (Continued)

These are reduced loads from a near same size cartridge.

...STARTING LOADS...

Powder Type	Start Grains	Volume CC	Auto- Disk	Lee Dipper	NEVER EXCEED	Velocity FPS	Pressure	Minimum Units	DAL
190 Grain Jacketed									
ACCUR 2495BR	34.8	2.60	DBLD	2.5	38.3	2316	NA	NA	3.027
WIN 748	35.0	2.29	DBLD	2.2	39.0	2305	NA	NA	2.757
ACCUR 2520	35.5	2.42	DBLD	2.2	39.0	2299	NA	NA	3.027
ACCUR 2460	33.5	2.20	DBLD	2.2	37.0	2269	NA	NA	3.027
ACCUR 2230	32.5	2.14	DBLD	1.9	36.1	2251	NA	NA	3.027
ACCUR 2700	39.0	2.67	DBLD	2.5	42.7	2217	NA	NA	3.027

200 Grain Jacketed

WIN 760	39.1	2.61	DBLD	2.5	43.4	2330	NA	NA	2.757
H4350	40.4	2.93	DBLD	2.8	44.6	2316	NA	NA	2.757
H4831	42.0	3.04	DBLD	2.8	46.5	2302	NA	NA	2.757
v-N140	33.5	2.45	DBLD	2.2	37.2	2300	NA	NA	3.027
H414	38.8	2.57	DBLD	2.5	42.7	2293	NA	NA	2.757
H380	37.0	2.56	DBLD	2.5	40.9	2288	NA	NA	2.757
WIN 748	35.5	2.32	DBLD	2.2	39.5	2276	NA	NA	2.757
H4895	32.7	2.38	DBLD	2.2	36.2	2261	NA	NA	2.757
H335	32.0	2.07	DBLD	1.9	35.3	2250	NA	NA	2.757
ACCUR 2520	34.9	2.38	DBLD	2.2	38.6	2242	NA	NA	3.027

220 Grain Jacketed

ACCUR 2495BR	32.8	2.45	DBLD	2.2	36.1	2116	NA	NA	3.027
ACCUR 2520	32.9	2.25	DBLD	2.2	36.8	2100	NA	NA	3.027
ACCUR 2460	31.9	2.09	DBLD	1.9	35.1	2082	NA	NA	3.027
ACCUR 2230	31.3	2.06	DBLD	1.9	34.5	2069	NA	NA	3.027
ACCUR 2700	35.5	2.43	DBLD	2.2	39.0	2035	NA	NA	3.027

225 Grain Jacketed

H4350	39.5	2.86	DBLD	2.8	44.1	2290	NA	NA	2.757
H4831	40.5	2.94	DBLD	2.8	45.1	2210	NA	NA	2.757
H414	38.0	2.51	DBLD	2.5	41.7	2195	NA	NA	2.757
H450	43.0	2.81	DBLD	2.8	47.5	2185	NA	NA	2.757
H380	36.7	2.53	DBLD	2.5	40.4	2173	NA	NA	2.757
H4895	31.2	2.27	DBLD	2.2	34.4	2097	NA	NA	2.757
BL-C(2)	31.3	2.02	DBLD	1.9	34.9	2094	NA	NA	2.757
H335	29.9	1.93	DBLD	1.9	33.4	2089	NA	NA	2.757

CAUTION: With NEVER EXCEED LOADS maintain Minimum Over All Length or longer.

DBLD = Double Disk, see instructions with your Auto-Disk powder measure. NA = None Available
Copyright 08-14-1996